



ODISHA POLICE  
STATE HEADQUARTERS  
CUTTACK.

R.M./FAX/E-MAIL

TO ALL DIST. SsP, ODISHA (INCLD. SsP ROURKELA/BERHAMPUR)  
DCP BBSR/DCP CUTTACK/SRP, CUTTACK/SRP ROURKELA

INFO CP, BBSR-CTC, BBSR/ALL RANGE IsGP/DIsGP, ODISHA/  
IGP RLYS., ODISHA, CUTTACK/DIR. INT. ODISHA, BBSR

FROM DG OF POLICE, ODISHA, CUTTACK.

NO. 5836 /CON.,

DTD. 17-10-2017.

DIWALI CELEBRATION IN THE STATE HAS COMMENCED WITH DHANATERASH BEING OBSERVED TO-DAY (17.10.2017) AND DIWALI/KALIPUJA IS ON 19.10.2017 (.) ILLEGAL SALE OF CRACKERS/FIREWORKS AND ITS UNREGULATED USE AND DISPLAY POSE SERIOUS THREAT TO SAFE AND PEACEFUL CELEBRATION AND CAUSE SEVERE AIR AND NOISE POLLUTION (.) THERE IS URGENT NEED TO CHECK AND REGULATE SALE AND USE OF CRACKERS/FIREWORKS, AND ENSURE FIRE SAFETY MEASURES AND EMERGENCY ARRANGEMENTS AT HOSPITALS/CHC/PHC /HEALTH CENTRES (.) IDOLS OF MAA KALI WILL BE WORSHIPPED AT PUJA MANDAPS ALL OVER THE STATE AND IN A BIG WAY AT BHADRAK, CUTTACK, PURI AND JAJPUR (.) NECESSAERY POLICE ARRANGEMENTS SHOULD BE MADE TO REGULATE CROWD AT PUJA MANDAPS AND PRECAUTIONARY MEASURES SHOULD BE TAKEN AGAINST MISCHIEF MONGERS (.) FOLLOWING MEASURES ARE SUGGESTED TO ENSURE SAFE CELEBRATION OF DIWALI AND PUT CHECK ON AIR/NOISE POLLUTION CAUSED BY CRACKERS/FIREWORKS (.) (A) ILLEGAL/UNAUTHORIZED SALE OF CRACKERS/FIREWORKS SHOULD BE PROHIBITED COMPLETELY IN YOUR RESPECTIVE JURISDICTION (.) (B) CONDITIONS IMPOSED BY LICENSING AUTHORITY REGARDING SETTING UP OF CRACKER SHOPS, DISTANCE BETWEEN SHOPS, FIRE SAFETY MEASURES SHOULD BE SCRUPULOUSLY FOLLOWED (.)

CONTD./-

=2=

(C) ONLY PERMITTED AND BRANDED CRACKERS/FIREWORKS SHOULD BE ALLOWED TO BE SOLD TO PUBLIC (.) (D) SALE OF CRACKERS EMITTING ABOVE 65 DECIBEL SOUND AND DANGEROUS FIREWORKS LIKE ROCKERS/MOVABLE FIREWORKS SHOULD BE STOPPED (.) (E) SsP/DCsP WILL LIASE WITH FIRE UNITS OF THEIR JURISDICTION AND ENSURE FULL-FLEDGED FIREFIGHTING AND RESCUE ARRANGEMENTS (.) (F) SsP/DCsP WILL LIASE WITH DISTRICT ADMINISTRATION AND HEALTH DEPARTMENT OFFICIALS OF THEIR RESPECTIVE JURISDICTION AND ENSURE FUNCTIONING OF BURN WARD AND EMERGENCY MEDICAL ARRANGEMENT IN HOSPITALS (.) THE AMBULANCE SERVICES SHOULD BE PROMPTLY MADE AVAILABLE (.) (G) USE AND DISPLAY OF FIREWORKS MAY CAUSE IRRITATION AND PROVOCATION LEADING TO COMMUNAL CONFLICT IN COMMUNALLY SENSITIVE AREAS (.) STRICT SURVEILLANCE BE MAINTAINED AND ADVANCE INTELLIGENCE SHOULD BE COLLECTED (.) POLICE PATROLLING SHOULD BE INTRODUCED WITH SIREN IN THOSE SENSITIVE AREAS (.) (H) SURVEILLANCE WILL ALSO BE REQUIRED IN AREAS WHERE CHRONIC DISPUTE/SAHI DISPUTES PERSISTS AND CLASH MAY OCCUR WHILE COMPETING IN FIREWORKS (.) (I) PUBLIC ADDRESS SYSTEM SHOULD BE UTILIZED FOR ANNOUNCING/ EDUCATING SAFE MEASURES DURING DIWALI CELEBRATION (.) YOU ARE REQUESTED TO CIRCULATE THE AFOREMENTIONED MEASURES AMONG YOUR FIELD UNITS AND ALERT THEM TO TAKE NECESSARY PREVENTIVE MEASURES TO AVOID ANY UNTOWARD INCIDENT (.)

CRASH

  
17/10/17  
DG OF POLICE, ODISHA, CUTTACK.